

10. Index

A

- Active cases · 174, 185, 213
- Adjusted response variable scores · 187, 189, 192, 214
- Aggregate cases · 348, 413
- Algorithms · 63, 64, 65, 93, 94, 136, 220, 250, 385
- Analysis · 16, 26, 47, 96, 442
 - customized · 32, 138–44, 442
 - import · 51, 443
 - log · 31, 57, 174
- Analysis Notebook · 16, 37, 96, 151
 - score pages · 38, 184–85
 - Summary page · 25, 53, 153–59, 185
- Analysis of concentration · 225
- Analysis of variance · 80, 92, 224, 279, 314, 329, 334
- Arch effect · 91, 119, 233, 248
- Autocorrelation · 74, 83, 126, 287, 343, 350

B

- Before-After Control-Impact design · 82, 297, 350–57
- Biplot · 62, 186
 - interpolative · 70, 225
 - predictive · 70
 - regression · 70, 84, 85, 220, 227, 228, 455
 - rule · 68, 70, 85
- Biplot scaling · 70, 186–88, 197, 199, 203, 215, 223, 383
- Biplot scores of explanatory variables · 69, 191, 194, 205, 207, 222, 228
- Blocks · 73, 75, 127, 183, 330, 333
- Braun-Blanquet scale · 407

C

- Calibration · 15, 65, 66, 106, 289–91
- Canonical coefficients · 84, 85, 186, 196, 202, 219, 227, 245
 - destandardization · 220, 225, 248, 262
 - standardized · 219, 239
- Canonical Correlation Analysis · 66, 122, 156
- Canonical Correspondence Analysis · 65, 67, 78, 85, 90, 103, 119, 202, 203, 204, 237, 239
- Canonical eigenvalue · 62, 77, 80, 92, 183, 221
- Canonical ordination · 61, 62, 63, 65, 177
- Canonical Variate Analysis · 91, 108, 132, 162, 225, 314
- Case heterogeneity · 185, 213, 422
- Case scores
 - derived from explanatory variables · 148, 156, 178, 180, 191, 200, 202, 205, 210, 220, 239, 386, 448

derived from response scores · 148, 156, 178, 180, 188, 191, 194, 197, 239, 386, 448

Categorial data · *see* Factor variable

Centering response data · 121, 159, 209, 216

Centroid principle · 68, 70, 196, 197, 199, 201, 207

Centroids of case scores · 67, 206, 207, 211, 224

Centroids of explanatory variables · 69, 195, 206, 207, 224, 245, 254, 260, 336

Chi-square distance · 198, 200, 204, 211

Chi-square statistic · 79, 212, 217

Co-Correspondence Analysis · 108, 149, 161, 311–13

Co-inertia Analysis · 108, 229, 320–22

Collinear variable · 175, 176, 220

Community · 13, 26, 61, 63, 66, 101, 239, 266

Compositional data · 85–90, 89, 318

Conditional effect · 34, 83, 105, 126, 155, 220, 223, 225, 247, 272

Constrained ordination · 13, 62, 65, 84, 103, 107, 119

Correlation

among explanatory variables · 70, 178

among response variables · 70, 190, 193

inter-set · 214, 221

intra-set · 222, 223

pseudo-canonical · 156, 157, 180, 210, 240, 244

table of response-explanatory · 228

Correlation matrix · 178, 221

Correspondence Analysis · 63, 65, 67, 88, 90, 103, 119, 197, 199, 200, 233

Count data · 79, 121, 171, 238

Covariates · 13, 52, 62, 65, 74, 76, 106, 115, 127, 158, 176, 188, 210, 212, 216, 221, 223, 272, 279

D

Data kind

compositional · 26, 32, 48, 96, 98, 119, 361, 367, 426, 429, 438

general · 26, 32, 48, 98, 361, 367, 438, 439

Data Notebook · 16, 49, 96, 97–100, 425

Data table · 13, 16, 29, 49, 59, 67, 96, 97, 98, 101, 425–35

DECORANA · 15, 119, 120, 211

Degrees of freedom · 53, 77, 81, 82, 153, 161, 226, 228

Detrended Canonical Correspondence Analysis · 65, 120, 202, 207, 209, 238

Detrended Correspondence Analysis · 29, 65, 71, 103, 157, 197, 201, 233, 311

Detrending methods · 91, 119, 120, 182, 201, 211, 238

Direct gradient analysis · 62

Dissimilarity coefficients · 108, 134, 137

Diversity

alpha · 159, 415, 427

beta · 119, 302, 415

functional · 302, **429**
N2 · See N2
Dummy variable · 224, 225, **245**, 406, 407

E

Eigenvalue equations · 91, 190, 193, 200, 204
Eigenvalues · **62**, 67, 156, 180, 181, 188, 202, 209, 214
Eigenvector scores · 62, **209**, 210, 213
Expand occurrences · 302, 414
Experimental design · 62, 75, 80, 82
Explained variation · 46, 153, **156**, 161, 165, 180, 280, 340
Explanatory variables · 13, **62**, 64, 65, 66, 69, 75, 103, 105, 114, 155, 177, 218–25
forward selection of · 35, 83, 104, 106, 108, 125, 132, 155, 285, 339
Explanatory-response page · 228
Exporting
 data · 185, 435
 graph · **369**, 400, 479

F

Factor variable · 29, 36, 48, 55, 62, 66, **90–91**, 100, 131, 132, 147, 155, 167, 195, 206, 245
interaction · 117, 407
Factorial design · 80, 358
False discovery rate · **83**, 341, 381
Fit into ordination space
 cases · **211**, 451
 response variables · 28, **216**, 246, 416, 449
Fitted values · **68**, 78, 85, 201, 202, 203, 204, 220, 260, 432
Fourth corner problem · See RLQ analysis
F-ratio · 72, 75, **77**, 80, 82, 92
Fuzzy coding · 90, 307

G

Gaussian curve · 65, **88**
Generalized Linear Models · 16, 88, 90, 108, 132, 163, 170, 234, 317, 324
Gradient · **62**, 78, 88
Gradient analysis · 62, 65
Gradient length · 67, 119, **157**, 263, 311
Graphs
 standalone · 56, 368, 369, 446, 471
Grids · **74**, 127, 130, 276

H

Hierarchical design · See Split-plot design

Hill's scaling · 67, 188, 198, 199, 201, 211, 215, 222, 239, 383
Homogeneity analysis · 90
Hybrid methods · 15, 121, 181
Hypothesis
 alternative · 72, 80
 null · **72**, 73, 75, 77, 226

I

Importing data · 26, 48, **362**, **366**
Indicator values · 282, **430**
Indirect gradient analysis · **62**
Inertia · 158, **175**, 180, 217, 279
Influential data · 107, 177, 208, 216, 281
Interpretation
 of ordination diagrams · 40, **67**, **188**, 197, 198, 227, 467

J

Joint plot · **62**, 197

L

Latent variable · 62
Least-squares · **66**, 68, 91, 219
Level-accuracy · **77**, 82
Leverage · 107, 177, 281, 381
Linear combination · 62, 63, **84**, 91, 156, 175, 191, 210
Linear methods · **62**, 119, 188, 263, 382
Linear model · 78, 86, 89
Linear transects · 73, 126, 337
Loading · 63
Log-ratio analysis · **86**, 318

M

Means · 69, 82, 91, 225, 348, 413
Metric scaling · 63, 93
Missing values · 30, 31, 47, 66, 210, 289, 362, 436, 437
Multicollinearity · 176
Multidimensional Scaling · 63, 93
 Nonmetric · **93**, 108, 133, 164, 310
Multinomial logit model · 87
Multiple correlation · 176, 220, 223
Multiple Correspondence Analysis · 90
Multiple regression · 63, 84, 108, 132, 163, 191, 196, 202, 219, 226, 235, 323
Multiple testing · See P-value adjustment
Multivariate regression · 62, 76, 78, 84, 221, 227

N**N2**

- diversity index* · 147, **208**, 261, 422, 427
 - effective number of occurrences* · **208**
 - Nested sampling design* · 73
 - NMDS* · *See* Multidimensional Scaling, Nonmetric
 - Nominal explanatory variables* · 67, 220, 224
 - Nominal variable* · *see* Factor variable
-

O

- Optimum* · 63, 64, 89, 173, 215, 234
 - Ordination diagnostics* · **211–13**, **216–18**
 - Ordination diagram* · 54, **62**, 67, 145, 453, 454, 455, 467
 - Ordination scores* · *See* Score pages
 - Origin of ordination diagram* · **68**, 159, 211
 - Outliers* · 177
-

P

- Partial canonical ordination* · **65**
 - Partial correlation* · 179, 221
 - Partial ordination* · **65**, 106, 182, 272, 279
 - Partial test* · 71, **76**, 79
 - PCNM method* · 16, **106**, 138, 287
 - Percentage data* · 85, 87, 89, 90
 - Percentage variance accounted for* · 92, 156, 182
 - Permutation*
 - design-based* · 80, 82, 336, 358
 - model-based* · 77, 80, 336
 - Permutation tests* · **72–73**, 124, 154, 183
 - on first canonical eigenvalue* · 80, 249
 - on trace* · 80
 - Permutation types* · 73, 126
 - Permutations*
 - number of* · **73**, 128
 - Phylogeny* · 303, **431**
 - Prediction*
 - of response data* · 59, 260, **432**
 - Principal Components Analysis* · 64, 65, 84, 103, 119, 123, **188**, 263
 - non-centered* · 229
 - Principal Coordinates Analysis* · 93, 108, 137, 164, 304, 308
 - Principal Response Curves* · 83, 106, 131, 150, 160, 292–97
 - Procrustes rotation* · **166**, 236, 444
 - Project* · 25, 26, **96**, 360, 362, 368, 413
 - log* · 95, 411
 - Pseudo-canonical correlation* · *See* Correlation, pseudo-canonical
 - Pseudo-F statistic* · 77, 79, 82, 326
 - P-value*
 - adjustment* · 83, 288, 381
-

Pythagorean distance · 93, 189, 190, 193, 198, 211

R

- Reduced model* · 80
 - Reduced rank regression* · 66, 84
 - Redundancy Analysis* · 65, 84, 103, 119, 122, **191**, 255
 - distance-based* · 108, 138, 165, 308
 - Regression* · 68, **84**, 108, 132, 163, 323
 - logit* · 66, 173, 317
 - log-linear* · 66, 87, 88
 - Poisson* · 66, 133, 170, 234
 - Regression coefficients* · 70, 164, 175, 191, 200, 202, **219**, 225, 227, 271
 - destandardization* · **220**, 225, 248, 262
 - standardized* · 219, 239
 - Regression diagnostics* · 178, 281, 381
 - Regression sum of squares* · 216
 - Repeated measurement design* · 82, 127, 292, 350, 353, 354, 423
 - Rescaling*
 - nonlinear* · 120, 201, 207, 211, 224
 - Residual sum of squares* · 77, 80
 - Response model* · 14, 61, 64, 89, 157, 215, 218, 234, 289, 389, 461
 - Response variable* · **63**, 66, 67, 71, 90, 103
 - Response variable scores* · **63**, 67, 69, 110, 150, 156, 187, 188, 213, 382, 444
 - Response variable tolerance* · 133, 173, 185, **218**, 234, 272
 - Response-explanatory page* · 228
 - RLQ analysis* · 302
-

S

- Sampling design* · 73, 75, 76, 82
- Scaling of ordination scores* · 89, **188**, 191, 202, 382, 467
- Score pages* · **184**, 209, 213, 218, 225, 479
- SD units* · *See* Gradient length
- Significance test* · *see* Permutation tests
- Similarity coefficients* · *See* Dissimilarity coefficients
- Simple effect* · 34, 106, 126, 155, 223, 225, 290
- Slope parameter* · **64**, 68, 84, 188, 191, 194, 202, 209, 213
- Spatial data* · 74, 106, 126, 127, 130, 283, 287, 343
- Species-environment correlation* · *See* Correlation, pseudo-canonical
- Split-plot design* · 75, 82, 127, 128, 276, 293, 331, 344, 347
- Standardization*
 - of explanatory variables* · 70, 219, 220, 221, 228
 - of response data* · **121**, 213, 216
- Stratified sampling* · 73
- Summary of analysis* · **180–83**
- Supplementary cases* · **63**, 185, 210, 212, 213, 237, 290
- Supplementary response variables* · 71, 215

Supplementary variables · 63, 71, 103, 106, 115, 196, 223, 224, 225, 226
Symbol plot · 264, 388, 455
Symbols
list of · 188

T

Time series · 73, 126, 129, 131, 350, 353
Total standard deviation · 124, 175, 188, 294
Total sum of squares · 92, 175, 211, 216
Trace statistics · 80, 183
Traits
functional · 16, 17, 47, 63, 109, 110, 298–302, 427, 429
Transformation
logarithmic · 34, 86, 90, 121, 173, 217, 236, 439, 440
square root · 121, 217, 439
Transition formulae · 189, 192, 198, 199, 201, 207, 211
Trend · 74
Triplot · 58, 63, 180, 241, 455
T-value biplot · 226–28, 278, 382, 454
T-values of regression coefficients · 175, 176, 219, 220, 227

U

Unimodal methods · 119, 188, 383
Update Board · 55, 97, 229, 412

V

Van Dobben circles · 227, 278, 454
Variance Inflation Factor · 176, 221, 227
Variation Partitioning · 45, 105, 131, 160, 279–88

W

Weighted averages
table of · 69, 205, 228
Weighted averaging · 63, 65, 197, 208, 215
Weights of cases · 115, 207
Weights of response variables · 115, 207
Whole-plot · 73, 75, 82, 127, 128, 293, 331, 347
Wizard
Analysis Setup · 26, 33, 51, 111–44, 442, 445
Graph · 24, 144–50, 453
New Analysis · 31, 101–11, 442